


% Youth also receiving Medicaid Therapy Services

	Total	47%
Gender	Male Female	46% 48%
Age	0-6 7-12 13-18	28% 48% 49%

DRAFT REPORT:

Based on analysis of CY2007 Department of Children and Families (DCF) data and Medicaid data for persons with paid claims for psychotropic medications, including persons aged 0-20.

Because the data sets used in this analysis do not share unique person identifiers, Probabilistic Population Estimation was used to determine caseload size and overlap (with 95% confidence intervals).




DCF Family Services Youth Receiving Medicaid Psychotropic Medications

		% of DCF Youth		
Total		28.1%	<u>+</u> 3.3%	
Female		28.3%	<u>+</u> 4.4%	
Male			+ 4.7%	
Age	0-12	20.9%	+ 3.1%	
1.90	13-17	34.7%		
	18-20	17.1%	<u>+</u> 7.2%	
Female	0-12	14.5%	+ 4.0%	
	13-17	39.5%	+ 7.9%	
	18-20	38.6%	+ 13.6%	
Male	0-12	26.1%	+ 4.5%	
	13-17	31.7%		
	18-20	7.3%	+ 8.4%	

DRAFT REPORT:

Based on analysis of CY2007 Department of Children and Families (DCF) data and Medicaid data for persons with paid claims for psychotropic medications, including persons aged 0-20.

Because the data sets used in this analysis do not share unique person identifiers, Probabilistic Population Estimation was used to determine caseload size and overlap (with 95% confidence intervals).




DCF Family Services Youth Receiving Medicaid Psychotropic Medications Therapeutic Class of Medication by Gender

		% of DCF Youth
Mood Stabilizers	Total	6.8% + 1.3%
	Female	7.8% <u>+</u> 2.0%
	Male	6.2% <u>+</u> 1.8%
CNS Stimulants	Total	7.8% <u>+</u> 2.0%
	Female	6.6% + 2.2%
	Male	8.7% <u>+</u> 3.0%
Anti-depressants	Total	16.9% <u>+</u> 2.3%
	Female	19.4% + 3.9%
	Male	15.3% <u>+</u> 2.9%
Anti-psychotics	Total	13.2% + 1.5%
	Female	11.8% <u>+</u> 1.8%
	Male	14.2% + 2.2%

DRAFT REPORT:

Based on analysis of CY2007 Department of Children and Families (DCF) data and Medicaid data for persons with paid claims for psychotropic medications, including persons aged 0-20.

Because the data sets used in this analysis do not share unique person identifiers, Probabilistic Population Estimation was used to determine caseload size and overlap (with 95% confidence intervals).



DCF Family Services Youth Receiving Medicaid Psychotropic Medications Therapeutic Class of Medication by Age

		% of DCF Youth	
Mood Stabilizers	Total	6.8% + 1.3%	
	0-12	4.1% + 1.5%	
	13-17	8.7% <u>+</u> 2.2%	
	18-20	8.6% <u>+</u> 4.1%	
CNS Stimulants	Total	7.8% <u>+</u> 2.0%	
	0-12	8.8% <u>+</u> 2.5%	
	13-17	7.4% + 3.1%	
	18-20	5.0% + 2.9%	
• • • •			
Anti-depressants	Total	16.9% + 2.3%	
	0-12	8.8% + 2.1%	
	13-17	23.6% <u>+</u> 4.0%	
	18-20	12.2% <u>+</u> 5.7%	
Anti-psychotics	Total	13.2% + 1.5%	
Anti-psycholics	0-12	9.9% + 1.8%	
	13-17	<u>9.9% +</u> 1.8% 15.9% + 2.4%	
	18-20	10.6% + 3.8%	
	10-20	10.070 + 3.6%	

DRAFT REPORT:

Based on analysis of CY2007 Department of Children and Families (DCF) data and Medicaid data for persons with paid claims for psychotropic medications, including persons aged 0-20.

Because the data sets used in this analysis do not share unique person identifiers, Probabilistic Population Estimation was used to determine caseload size and overlap (with 95% confidence intervals).