

## Vermont State Hospital Served During First Quarter CY2008



		Genuer		Aye		
	Total	Male	Female	18-34	35-49	50+
Mood Stabilizers						
5	53%	55%	51%	45%	61%	56%
Antipsychotics						
8	34%	86%	82%	82%	77%	94%
Antidepressants						
2	45%	45%	44%	50%	61%	24%
# Institutionali	zea 103	64	39	38	31	34
	100	υ <del>τ</del>	00	50	51	57

Analysis is based on the Vermont State Hospital Treatment Episode database and the Vermont State Hospital pharmacy data set, and includes adults (aged 18 and over) who were hospitalized during some part of the first quarter of CY2008. This analysis includes mood stabilizer, antipsychotic and antidepressant medications. Mood stabilizers include drugs with an anti-mania or anticonvulsant therapeutic class (H2M,H4B). Antipsychotics include drugs with typical or atypical antipsychotic therapeutic class (H2G,H7O,H7R,H7S,H7T,H7U,H7X). Antidepressants include drugs with an antidepressant therapeutic class (H2U,H2X,H7B), or a SSRIS, SNRIS, NDRIS, or SARIS therapeutic drug class (H2S,H7C,H7D,H7E).

## Vermont State Hospital Patients Receiving One or More Type of Psychotropic Medication During First Quarter CY2008



Analysis is based on the Vermont State Hospital Treatment Episode database and the Vermont State Hospital pharmacy data set, and includes adults (aged 18 and over) hospitalized during some part of the first quarter of CY2008 who received mood stabilizer, antipsychotic and/or antidepressant medications. Mood stabilizers include drugs with an anti-mania or anticonvulsant therapeutic class (H2M,H4B). Antipsychotics include drugs with typical or atypical antipsychotic therapeutic class (H2G,H7O,H7R,H7S,H7T,H7U,H7X). Antidepressants include drugs with an antidepressant therapeutic class (H2U,H2X,H7B), or a SSRIS, SNRIS, NDRIS, or SARIS therapeutic drug class (H2S,H7C,H7D,H7E).